



TRACTOR


TOP LINKS

Catalogue

HPL

TRACTOR TOP LINK

3 TONS TOP LINK




Technical Specifications

Stock Code	Product Type	Capacity (Ton)	Closed Center L - (cm)	Stroke H-(mm)	Pin Diameter C1 - C (mm)	Type	Outer Diameter D1 - D (mm)	Rod Diameter d- (mm)
TPL-1500	TOP LINK	3	50	195	26*26-GG		60*70	40
TPL-1501	TOP LINK	3	55	245	26*26-GG		60*70	40
TPL-1502	TOP LINK	3	60	295	26*26-GG		60*70	40
TPL-1503	TOP LINK	3	68	365	26*26-GG		60*70	40
TPL-1504	TOP LINK	3	50	195	19*26-DG		60*70	40
TPL-1505	TOP LINK	3	55	245	19*26-DG		60*70	40
TPL-1506	TOP LINK	3	60	295	19*26-DG		60*70	40
TPL-1507	TOP LINK	3	68	365	19*26-DG		60*70	40
TPL-1508	TOP LINK	3	50	195	26*26-GG	VERTICAL	60*70	40
TPL-1509	TOP LINK	3	55	245	26*26-GG	VERTICAL	60*70	40
TPL-1510	TOP LINK	3	60	295	26*26-GG	VERTICAL	60*70	40
TPL-1511	TOP LINK	3	68	365	26*26-GG	VERTICAL	60*70	40
TPL-1512	TOP LINK	3	50	195	19*26-DG	VERTICAL	60*70	40
TPL-1513	TOP LINK	3	55	245	19*26-DG	VERTICAL	60*70	40
TPL-1514	TOP LINK	3	60	295	19*26-DG	VERTICAL	60*70	40
TPL-1515	TOP LINK	3	68	365	19*26-DG	VERTICAL	60*70	40

TRACTOR TOP LINK


4 TONS TOP LINK



Stock Code	Product Type	Capacity (Ton)	Closed Center L - (cm)	Stroke H-(mm)	Pin Diameter C1 - C (mm)	Type	Outer Diameter D1 - D (mm)	Rod Diameter d- (mm)
TPL-1516	TOP LINK	4	50	195	26*26-GG		63*75	40
TPL-1517	TOP LINK	4	55	245	26*26-GG		63*75	40
TPL-1518	TOP LINK	4	60	295	26*26-GG		63*75	40
TPL-1519	TOP LINK	4	68	365	26*26-GG		63*75	40
TPL-1520	TOP LINK	4	50	195	19*26-DG		63*75	40
TPL-1521	TOP LINK	4	55	245	19*26-DG		63*75	40
TPL-1522	TOP LINK	4	60	295	19*26-DG		63*75	40
TPL-1523	TOP LINK	4	68	365	19*26-DG		63*75	40
TPL-1524	TOP LINK	4	50	195	26*26-GG	VERTICAL	63*75	40
TPL-1525	TOP LINK	4	55	245	26*26-GG	VERTICAL	63*75	40
TPL-1526	TOP LINK	4	60	295	26*26-GG	VERTICAL	63*75	40
TPL-1527	TOP LINK	4	68	365	26*26-GG	VERTICAL	63*75	40
TPL-1528	TOP LINK	4	50	195	19*26-DG	VERTICAL	63*75	40
TPL-1529	TOP LINK	4	55	245	19*26-DG	VERTICAL	63*75	40
TPL-1530	TOP LINK	4	60	295	19*26-DG	VERTICAL	63*75	40
TPL-1531	TOP LINK	4	68	365	19*26-DG	VERTICAL	63*75	40

TRACTOR TOP LINK

5 TONS TOP LINK




Technical Specifications

Stock Code	Product Type	Capacity (Ton)	Closed Center L - (cm)	Stroke H-(mm)	Pin Diameter C1 - C (mm)	Type	Outer Diameter D1 - D (mm)	Rod Diameter d-(mm)
TPL-1532	TOP LINK	5	50	165	26*26-GG		70*80	45
TPL-1533	TOP LINK	5	55	215	26*26-GG		70*80	45
TPL-1534	TOP LINK	5	60	265	26*26-GG		70*80	45
TPL-1535	TOP LINK	5	68	345	26*26-GG		70*80	45
TPL-1536	TOP LINK	5	50	165	19*26-DG		70*80	45
TPL-1537	TOP LINK	5	55	215	19*26-DG		70*80	45
TPL-1538	TOP LINK	5	60	265	19*26-DG		70*80	45
TPL-1539	TOP LINK	5	68	345	19*26-DG		70*80	45
TPL-1540	TOP LINK	5	50	165	26*26-GG	VERTICAL	70*80	45
TPL-1541	TOP LINK	5	55	215	26*26-GG	VERTICAL	70*80	45
TPL-1542	TOP LINK	5	60	265	26*26-GG	VERTICAL	70*80	45
TPL-1543	TOP LINK	5	68	345	26*26-GG	VERTICAL	70*80	45
TPL-1544	TOP LINK	5	50	165	19*26-DG	VERTICAL	70*80	45
TPL-1545	TOP LINK	5	55	215	19*26-DG	VERTICAL	70*80	45
TPL-1546	TOP LINK	5	60	265	19*26-DG	VERTICAL	70*80	45
TPL-1547	TOP LINK	5	68	345	19*26-DG	VERTICAL	70*80	45

TRACTOR TOP LINK

C HEAD TOP LINK



Technical Specifications

Stock Code	Product Type	Capacity (Ton)	Closed Center L - (cm)	Stroke H-(mm)	Pin Diameter C1 - C (mm)	Type	Outer Diameter D1 - D (mm)	Rod Diameter d- (mm)
TPL-1548	TOP LINK	3	50	145	26*26-GG	C HEAD	60*70	40
TPL-1549	TOP LINK	3	55	195	26*26-GG	C HEAD	60*70	40
TPL-1550	TOP LINK	3	60	245	26*26-GG	C HEAD	60*70	40
TPL-1551	TOP LINK	3	68	325	26*26-GG	C HEAD	60*70	40
TPL-1552	TOP LINK	4	50	145	26*26-GG	C HEAD	63*75	40
TPL-1553	TOP LINK	4	55	195	26*26-GG	C HEAD	63*75	40
TPL-1554	TOP LINK	4	60	245	26*26-GG	C HEAD	63*75	40
TPL-1555	TOP LINK	4	68	325	26*26-GG	C HEAD	63*75	40
TPL-1556	TOP LINK	5	50	125	26*26-GG	C HEAD	70*80	45
TPL-1557	TOP LINK	5	55	175	26*26-GG	C HEAD	70*80	45
TPL-1558	TOP LINK	5	60	225	26*26-GG	C HEAD	70*80	45
TPL-1559	TOP LINK	5	68	305	26*26-GG	C HEAD	70*80	45
TPL-1560	TOP LINK	10 CAT2	50	110	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1561	TOP LINK	10 CAT2	55	160	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1562	TOP LINK	10 CAT2	60	210	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1563	TOP LINK	10 CAT2	68	290	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1564	TOP LINK	10 CAT3	50	85	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1565	TOP LINK	10 CAT3	55	135	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1566	TOP LINK	10 CAT3	60	185	26*26-GG	C HEAD WITH JOINT	90*105	50
TPL-1567	TOP LINK	10 CAT3	68	265	26*26-GG	C HEAD WITH JOINT	90*105	50



TRACTOR

TOP LINKS

Catalogue

HPL